



- LIGHT FIXTURES QTY. (4)
- FOUR TUBE 48"
- 32 WATT FIXTURES MOUNTED BEHIND CLEAR TEMPERED GLASS PANELS
- "UL" RATED FOR THEIR INTENDED USE AND PLACEMENT
- (4 OPEN TYPE)

PLAN VIEW




- PRODUCT ENTRY DOORS QTY. (1 SET)
- DOUBLE FILTER DOORS
- 20" X 20" X 1" TRACK INTAKE FILTERS QTY. (30)
- 1 PANEL LATCH
- DOOR LIMIT SWITCH
- SILVER SEAL
- HARDWARE

FRONT VIEW



- BOOTH SHELL
- 18 GA. GALV. STEEL

SIDE ELEVATION



- 30" Ø TUBE AXIAL FAN UNIT QTY. (1)
- RATED FOR 14,400 SCFM EXHAUST
- 1/2" STATIC PRESSURE
- 5 HP ODP TYPE MOTOR
- BLADE PITCH 32"
- MANOMETER QTY. (1)
- ONE PER CHAMBER
- PLACED WHERE BEST ACCESSIBLE
- EXHAUST FILTERS QTY. (25)
- 20" X 20" X 2"
- GRIDS INCLUDED

REAR VIEW

All drawings, sketches and/or specifications accompanying or attached to these quotes are the property of Col-Met Spray Booths. If the said quote(s) of Col-Met Spray Booths are not accepted the said drawings, etc. shall be returned to Col-Met Spray Booths. All digital data is issued for information only. You should use this data for reference purposes only to assist in coordinating your work and is supplementary to formally issued paper drawings. In all instances the contract issue drawings govern. It is the responsibility of the recipient to check all digital information against the contract documentation. Col-Met Spray Booths accepts no liability or responsibility for any loss or damage suffered as a result of (or in connection with) the use or misuse of the CAD data supplied for information only. Once the data is introduced into your own CAD or other system, Col-Met Spray Booths can take no responsibility for its accuracy.

COL-MET SPRAY BOOTHS ARE MFG. IN ACCORDANCE WITH IFG-2003 SECTION 1504.1.2.1 THROUGH 1504.1.2.4, SECTION 1504.2.3, SECTION 1504.2.5, SECTION 1504.2.7, SECTION 1504.3, SECTION 1504.3.1, SECTION 1504.3.2, AND NFPA-33

BOOTH WALLS & CEILING PANELS FABRICATED OF G-90, 18 GA. GALVANIZED STEEL IN ACCORDANCE WITH THE IFG-2003 SECTION 1504.1.2.1 & NFPA-33 CHAPTER 5.1

SEE ORDER ACKNOWLEDGMENT FOR COMPLETE LIST OF PROVIDED STACK AND OPTIONAL COMPONENTS

IMPORTANT NOTICE

IN THE CONSTRUCTION OF THIS BOOTH THERE MAY BE POSSIBLE FIELD MODIFICATIONS BY THE INSTALLER. THESE MODIFICATIONS MAY INCLUDE, BUT NOT LIMITED TO:

- WELDING
- CUTTING
- NOTCHING
- DRILLING

For information on installation of the booth and components, please see our web site at www.colmetb.com, click on "Resources" on the left side of the page, and then click on "Install Manual".

COLMET

Spray Booths

PROJECT TITLE		EIE 1212 3-VIEW	
JOB NO.		115-1212-1201-01/DWG	
APPROVAL BY:		DATE:	
DESIGNED BY:		DRAWN BY:	
CHECKED BY:		DATE:	
PROJECT:		STANDARD CATALOG BOOTH	
CONTRACT NO.:		SCALE: 1/8" = 1'-0"	
SHEET NO.:		DATE:	